

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

3-POINT PTO BRUSH MOWER

TRACTOR ATTACHMENT

BLAZE A TRAIL...



Our 3-point brush mower is the perfect companion for your compact tractor. Break new trails, clear ditches or other overgrown areas. The innovative “Stump Jumper” is designed to prevent damage to the unit. This unit operates both forwards and backwards.

FEATURES

- Cut, clear and mulch unwanted brush, thickets, grass and saplings up to 3” in diameter
- Break new trails, clear ditches, construction, property sites, and other overgrown areas
- Heavy-duty design made for rugged applications
- Tail wheel is easily adjustable for height and can be secured in an upright position when not needed
- Heavy-duty gear box and slip clutch to prevent damage
- Stump Jumper designed to prevent damage to unit
- Operates both forwards and backwards

800.437.6912

© 2019 Erskine Attachments, LLC. All rights reserved.

022219

ERSKINE[®]
ATTACHMENTS LLC

3-POINT PTO BRUSH MOWER

TRACTOR ATTACHMENT



Open deck design allows easy access to brush and trees.



Tail wheel is easily adjustable for height and can be secured in an upright position when not needed.

Model	60"	66"	72"	78"
Part Number	920298	920299	920300	920301
Overall Height	36"	36"	36"	36"
Overall Length	89"	95"	101"	107"
Deck Length	72"	78"	84"	90"
Overall Width	65"	71"	77"	83"
Cutting Width	60"	66"	72"	78"
Deck Thickness	1/4"	1/4"	1/4"	1/4"
Operating Weight	1,000 lb.	1,125 lb.	1,200 lb.	1,280 lb.
Hitch Category	Cat. I	Cat. I	Cat. I & II	Cat. I & II
Input RPM	540 RPM	540 RPM	540 RPM	540 RPM
HP Range	35-50 HP	35-50 HP	40-75 HP	40-75 HP

Options


Replacement Blade Kit

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

3-POINT PTO BRUSH MOWER

TRACTOR ATTACHMENT



Large frame makes big jobs easy and cuts your working time down to save you \$\$\$.



7 Gauge steel for maximum durability.

800.437.6912

© 2019 Erskine Attachments, LLC. All rights reserved.

022219

ERSKINE[®]
ATTACHMENTS LLC