

DIRECTION..

HEADIN' IN THE RIGHT

3-POINT PTO REAR PULL SNOWBLOWER TRACTOR ATTACHMENT

The Rear Pull PTO Snowblower allows you to drive forward while giving you the option to leave the front loader on the tractor if so desired. The blower lifts very high with the 3-point, so when a drift is encountered, the tractor can be turned around and backed into the drift to drag it out. The RP series is a 2-stage blower designed to gather snow efficiently.

FEATURES

- Blow snow while driving forward
- 270° chute rotation
- Optional hydraulic chute rotation (hand crank chute rotation comes standard)
- 20" and 24" fan diameters
- Optional hydraulic deflector
- Models to fit tractors from 20-75 HP

800.437.6912

© 2019 Erskine Attachments, LLC. All rights reserved.

022819



ERSKINE ATTACHMENTS LLC www.erskineattachments.com

800.437.6912

3-POINT PTO REAR PULL SNOWBLOWER TRACTOR ATTACHMENT

Model	620RP	725RP	825RP
Part Number	920100	920102	920104
Operating Weight	840 lb.	1,075 lb.	1,150 lb.
Shipping Weight	920 lb.	1,175 lb.	1,250 lb.
Width of Cut	60"	78" with Wings	90" with Wings
Cutting Height	29"	33"	33"
Auger Diameter	16"	16"	16"
Fan Diameter	20"	24"	24"
Discharge Chute	270° Manual	270° Manual	270° Manual
PTO Speed	540 RPM	540 RPM	540 RPM
Casting Distance	Up to 30'	Up to 35'	Up to 35'
HP Range	20-35 HP	30-55 HP	40-75 HP
Driveline Series	14	35	35
Cutting Edge	5/8" x 6" Reversible	5/8" x 6" Reversible	5/8" x 6" Reversible
Skid Shoes	Adjustable/Replaceable	Adjustable/Replaceable	Adjustable/Replaceable
Hitch Category	Cat. I	Cat. I	Cat. I


Rear Blade* (optional)	*Must have enough auxiliary ports in tractor to operate.		
Operating Weight	N/A	165 lb.	165 lb.
Cylinders	N/A	2" x 4" (2)	2" x 4" (2)
Moldboard Steel	N/A	.375" Grade 50 Steel	.375" Grade 50 Steel
Marker Rods	N/A	Included	Included
Hoses and Couplers (pioneer style)	N/A	Included	Included

Options
Hydraulic Chute Rotator w/hoses/couplers
Hydraulic Deflector w/hoses/couplers
Electric Deflector
Hardened Skid Shoes
Urethane Skid Shoes
Urethane Cutting Edge
Rubber Cutting Edg



Optional Rear Blade.

800.437.6912






Sta



3-POINT PTO REAR PULL SNOWBLOWER TRACTOR ATTACHMENT





Optional hydraulic chute rotation for ease of operation – ideal for tractors with cabs.



Hand crank chute rotation standard.

022819

800.437.6912

© 2019 Erskine Attachments, LLC. All rights reserved.

ERSKINE