

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

DUAL ROTARY BRUSH MOWER

SKID STEER ATTACHMENT

**CUT TREES, BRUSH,
AND GRASS ...**

The Dual Rotary Brush Mower is engineered for today's larger skid steers. The 84" cutting width is built with 1/4" steel to withstand the rigors of brush cutting. Use it to cut trees, brush, and unwanted weeds and grass. It's unique automatic Float-n-Tilt™ system allows you to cut evenly on level surfaces as well as the most rugged terrain. This is further supported by the innovative blade positioning that achieves reduced deck length.

FEATURES

- Heavy-duty design made for extreme applications
- Designed for maximum cutting potential
- Heavy-duty gear box to power through the toughest brush
- HD stump jumper is designed to store rotational energy
- Dual edge cutting blades so you can reverse blade rotation for double the life
- No shear pins
- Operates both forwards and backwards

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC

ERSKINE[®]

ATTACHMENTS LLC

www.erskineattachments.com

800.437.6912

DUAL ROTARY BRUSH MOWER

SKID STEER ATTACHMENT



Closed front deck keeps material under the deck longer for finer mulching and to help prevent flying debris.



Two heavy-duty stump jumpers designed to store rotational energy.

| Model | 84" |
|-----------------------------|----------------|
| Part Number | 901102 |
| Mounting Plate | Universal |
| Hydraulic Pump Requirements | 27 - 38 GPM |
| Cutting Width | 84" |
| Cutter Capacity | Brush up to 3" |
| Weight | 1,670 lb. |
| Overall Height | 24" |
| Overall Length | 82" |
| Overall Width | 88" |
| Bidirectional Kit | Included |

Options

Wheel Kit

Replacement Blade Kit

Factory Installed Couplers (Bobcat only)

Factory Installed High Flow Couplers

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

DUAL ROTARY BRUSH MOWER

SKID STEER ATTACHMENT



Dual blades for **EFFICIENT CUTTING** of brush up to 3"

LARGE 6" diameter roller provides a contact point with the ground for a smooth operation



Wheel kit (optional)

RUBBER SHIELDED front guard comes standard for added safety

HEAVY-DUTY skid rails allow mower to glide across the ground



Features an adjustable top link and stabilizer bar.



Automatic Float-n-Tilt™ system.

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC