

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com

800.437.6912

INDUSTRIAL GRAPPLE RAKE

SKID STEER ATTACHMENT



**THE POSSIBILITIES ARE
WIDE OPEN...**

The most versatile tool in your attachment arsenal. The strength of the Grapple Rake allows you to pick up a variety of debris, from logs and brush to rocks and concrete. Quality T-1 steel used throughout gives you a grapple rake that withstands the toughest demands. The 48" opening and powerful jaws will close, clamp, and hold virtually anything.

FEATURES

- T-1 steel teeth nearly three times stronger than regular steel
- 2 - 3,000 lb. hydraulic cylinders
- Opens to 48"
- Curved teeth allow the grapple to glide over the ground, raking and cleaning the surface without damaging it
- Clear brush, pick rocks and mulch
- Raking and piling, storm cleanup, demolition
- Use as a root rake
- Grapple encloses entirely and secures debris
- Tubular steel construction provides extra strength and power

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC

ERSKINE[®]

ATTACHMENTS LLC

www.erskineattachments.com

800.437.6912

INDUSTRIAL GRAPPLE RAKE

SKID STEER ATTACHMENT



Reinforcement between teeth is structurally engineered for maximum strength.



Grab logs one at a time, or multiple logs for quick clearing of the job site.

Model	60"	72"	84"
Part Number	900316	900317	900318
Operating Weight	680 lb.	815 lb.	900 lb.
Overall Width	61.25"	73.25"	85.25"
Overall Depth	33.6"	33.6"	33.6"
Width Between Teeth (average)	7.5"	7.5"	7.5"
Height with Teeth Closed	37.6"	37.6"	37.6"
Maximum Height with Teeth Open	46.3"	46.3"	46.3"
Maximum Opening	48"	48"	48"
Grapple Teeth (upper)	7	9	11
Grapple Teeth (lower)	8	10	12
Hydraulic Cylinders	3" x 8" (2)	3" x 8" (2)	3" x 8" (2)
Tooth Construction	1/2" T-1	1/2" T-1	1/2" T-1

Options

Factory Installed Couplers

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

INDUSTRIAL GRAPPLE RAKE

SKID STEER ATTACHMENT

STRUCTURALLY SUPERIOR MAIN FRAME tubed steel construction supplies the strength and power needed - the backbone of the industrial grapple rake

GREASEABLE HINGE POINTS ensure long life



Large, curved teeth provide **OPTIMAL MATERIAL GRASPING & RAKING**

Teeth are constructed of **1/2" T-1 STEEL**

OPTIMAL SPACING between teeth allows unwanted debris to fall through



Gathers and piles brush as well as limbs and logs. Our unique design allows for vertical pick-up and dumping of debris.



Use rake for gathering... or sink teeth in the ground for digging out roots or rock.

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC