



ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

MINI 6-WAY DOZER BLADE/GRADER/LEVELER

MINI SKID STEER ATTACHMENT



THREE TOOLS IN ONE...

Turn your mini skid steer into a high performance, dirt moving machine. This dozer, grader, and leveler is all in one package. Ideal for dozing, scraping, and cutting swails. Also, levels roads, yards, and job sites. Turn your mini skid steer into a high performance grading machine. Six-way hydraulically controlled dozer blade is easy to operate. Saves job site prep time.

FEATURES

- Adjustable skid shoes for control of cutting depth
- Bolt-On cutting edge
- Standard with tilt cylinder (angle cylinder optional)
- Not recommended for snow removal due to no-trip moldboard

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC



ERSKINE[®]

ATTACHMENTS LLC

www.erskineattachments.com

800.437.6912

MINI 6-WAY DOZER BLADE/GRADER/LEVELER

MINI SKID STEER ATTACHMENT



Model	6-Way Dozer Blade Mini	High Flow
Part Number	900510	N/A
Angling	Manual	1,250 lb.
Overall Width	49.5"	24.625" x 60.75"
Overall Height	21.25"	N/A
Overall Length	28.25"	96.625"
Side Angle (both ways)	25°	N/A
Tilt Angle (both ways)	10°	50" @ 60°
Cutting Edge	1/2" x 4"	2,500 - 3,000 psi
Tilt Cylinder	2" x 4"	25 - 40 GPM
Angle Cylinder (optional)	2" x 4"	150 - 240 RPM

Options

Hydraulic Angling Package

Urethane Skid Shoes

Urethane Cutting Edge

Rubber Cutting Edge

Toggle Control Harness*

Loader Specific Wire Harness*

Factory Installed Couplers

* Applies to Hydraulic Model only

Mounting Kit Configurations

ASV/Terex (RC/PT30)

Bobcat (MT-52/55, 463/S70) Toro / Vermeer /
Boxer / Ditch Witch Ramrod / Kanga / Cormidi

Universal Mounting Plate (up to 1,000 lb. ROC)

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

MINI 6-WAY DOZER BLADE/GRADER/LEVELER

MINI SKID STEER ATTACHMENT

Hydraulic angling (optional)



Cutting edge bolt-on / reversible

Optional:
Urethane
Skid Shoes



Optional:
Rubber or Urethane
Protective Cutting Edges.



Optional:
Toggle Control Harness
is required if skid steer
is NOT equipped with
attachment control
system. (Only needed
when ordering hydraulic
angling model)



Optional:
Wire Harness for
hydraulic models
with attachment
controls.



800.437.6912

ERSKINE[®]
ATTACHMENTS LLC