

**ERSKINE**<sup>®</sup>  
ATTACHMENTS LLC

www.erskineattachments.com  
800.437.6912

## MINI STUMP GRINDER

*MINI SKID STEER ATTACHMENT*



**DON'T GET STUMPED,  
YOU NEED ONE OF THESE...**

The Mini Stump Grinder is the choice for arborists, contractors, landscapers, and maintenance departments. These units are easy to maneuver into compact areas that are difficult or impossible to reach with other types of machines. Ultra strong carbide teeth aggressively chew through any size stump. A unique bidirectional cutting design creates a more aggressive cutting pattern that takes out even the largest of stumps in no time.

### FEATURES

- Bi-directional cutting design allows for dual pass operation
- 24 - durable carbide teeth - a real time saver, lessens labor
- 1/2" x 14.5" diameter steel plate cutting wheel
- Up to 1,000 RPM cutting wheel speed
- Maximum cutting depth 6" below ground

**800.437.6912**

**ERSKINE**<sup>®</sup>  
ATTACHMENTS LLC



# ERSKINE<sup>®</sup>

ATTACHMENTS LLC

www.erskineattachments.com

800.437.6912

## MINI STUMP GRINDER

MINI SKID STEER ATTACHMENT



The Mini Stump Grinder features the ideal combination of maneuverability, power, durability, and simplicity.



Offset cutting wheel allows the operator great visibility.

Model	60" Low Flow
Part Number	900549
Shipping Weight	525 lb.
Hydraulic Requirements	7-16 GPM
Maximum Cutting Diameter	36"
Maximum Cutting Depth	6" below ground
Cutting Arc	66°
Cutting Wheel Diameter	18"
Cutting Wheel Speed	500-1,000 RPM
Replaceable Carbide Teeth	24
Mounting Kit Configurations	ASV/Terex (RC/PT30) Bobcat (MT-52/55, 463/S70) Toro / Vermeer / Boxer / Ditch Witch / Ramrod / Kanga / Cormidi Universal Mounting Plate (up to 1,000 lb. ROC)

### Options

Pistol Grip Control Harness

Loader Specific Wire Harness

Factory Installed Couplers

800.437.6912

ERSKINE<sup>®</sup>  
ATTACHMENTS LLC



**ERSKINE**<sup>®</sup>  
ATTACHMENTS LLC

www.erskineattachments.com  
800.437.6912

# MINI STUMP GRINDER

MINI SKID STEER ATTACHMENT

## DRIVE SYSTEM

● - is electric over hydraulic

**GUARD ASSEMBLY and RUBBER DEFLECTOR** prevent debris from flying needlessly

14.5" diameter, 1/2" STEEL CUTTING WHEEL is fitted with 24 carbide teeth for durability and speed



Optional: Pistol Grip Control Harness is required if skid steer is NOT equipped with attachment control system. (Only needed when ordering hydraulic angling model).



Optional: Wire Harness

## MOUNTING KIT CONFIGURATIONS

ASV/Terex (RC/PT30)  
Bobcat (MT-52/55, 463/S70)  
Toro / Vermeer / Boxer / Ditch Witch / Ramrod / Kanga / Cormidi  
Universal Mounting Plate (up to 1,000 lb. ROC)



800.437.6912

**ERSKINE**<sup>®</sup>  
ATTACHMENTS LLC