

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

MULTI-PURPOSE GRAPPLE

SKID STEER ATTACHMENT



GRAB AND GO...

Boost productivity – great for moving trees, boulders and large wood piles. With the Multi-Purpose Grapple, trees and debris can be delicately removed, repositioned, or loaded without damaging the surrounding landscape. This versatile 2-in-1 attachment fits on most tractors and skid steers.

FEATURES

- Includes skid steer mount and 3-point hitch Cat I and II for ease of use on compatible skid steers and tractors
- 3-inch bore cylinder
- Heavy-Duty push bar
- Optional winch

800.437.6912

© 2019 Erskine Attachments, LLC. All rights reserved.

022719

ERSKINE[®]
ATTACHMENTS LLC

MULTI-PURPOSE GRAPPLE

SKID STEER ATTACHMENT



The hydraulic valve blocks are stackable so the optional hydraulic rotation and hydraulic 12,000-lb. winch can be added at any time.



The hydraulic hoses all meet at a bulkhead under the push bar. This way you have equal length hoses to make repairs easier if you damage a hose section. The pivot link on this skid steer attachment has greater range of motion than competing manufacturers are able to offer, making it much easier for the operator to grapple logs laying on slopes or on top of other felled logs.

Model	48"	60"
Part Number	901315	901316
Mounting Plate	Universal, Cat I 3-Point, Cat II 3-Point	Universal, Cat I 3-Point, Cat II 3-Point
Hydraulic Pump Capacity Requirements	10 - 25 GPM	10 - 25 GPM
System Pressure	2,000 - 3,000 psi	2,000 - 3,000 psi
Maximum Jaw Opening Width	48"	60"
Minimum Jaw Closing Diameter	3"	3"
Boom and Rotator Capacity	9,000 lb.	9,000 lb.
Grapple Cylinder Bore	3"	3"
Winch Capacity (optional)	12,000 lb.	12,000 lb.
Winch Cable Length (actual / usable)	100' / 85'	100' / 85'
Shipping Weight (manual rotation)	1,179 lb.	1,213 lb.
Operating Weight (manual rotation)	1,129 lb.	1,183 lb.

Options

Hydraulic Rotation

Toplink Cylinder

Winch

Pistol Grip Control Harness*

Loader Specific Wire Harness*

Factory Installed Couplers

*Applies to hydraulic model only

MULTI-PURPOSE GRAPPLE

SKID STEER ATTACHMENT



We designed our Versa Grabtm with welded or "mill-type" cylinders. These cylinders utilize a heavy-duty housing with a barrel welded or bolted directly to the end caps and require no tie rods. Designed for high pressures, they are generally preferred in more rugged applications such as presses, steel mills, and offshore settings with harsh environments and wide temperature swings.



Our multi-purpose grapple also features greasable zerk fittings at all pivot points. Undue wear leads to poor performance and premature equipment failure. Some manufacturers use Teflon bushings as wear parts designed to wear out and be replaced. Tracking down replacements for worn bushings can mean lost time on the job and less revenue. Our grapples use a greasable pin, and because we are the manufacturer you can always buy replacement pins from our well-appointed parts department.