

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com

800.437.6912

UTILITY SOIL CONDITIONER

SKID STEER ATTACHMENT



**PULVERIZE, TILL
AND RAKE...**

This versatile unit rakes stones and debris to either side or straight ahead for easy pickup. The aggressive teeth on the large diameter rotor pulverize soil like an ordinary tiller, with the benefit of faster ground speed. The counter-rotating rotor moves soil ahead of it as it tills, filling in low spots and chewing off high spots. It creates perfect seed-beds and windrows. The Utility Soil Conditioner separates rocks, tears up sod, and pulverizes dirt clods. We rake and till deeper than any of our competitors – as deep as 4”.

FEATURES

- Direct-Drive motor turns large 10” rotor
- Tungsten – carbide teeth
- Power angling (optional)
- Large solid rubber wheels

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC

ERSKINE[®]

ATTACHMENTS LLC

www.erskineattachments.com

800.437.6912

UTILITY SOIL CONDITIONER

SKID STEER ATTACHMENT



Model	RSC72	RSC84	RSC96
Part Number	900533	900535	901381
Rotor Width	72"	84"	96"
Overall Width	79.5"	91.5"	103.5"
Angling	Manual 25°	Manual 25°	Manual 25°
Hydraulic Angling	Optional	Optional	Optional
Wheels/Tires	18" x 8.5"	18" x 8.5"	18" x 8.5"
	Polyurethane	Polyurethane	Polyurethane
Teeth	88 Carbide Tipped	104 Carbide Tipped	120 Carbide Tipped
Recommended Hyd. Flow	15 - 33 GPM	15 - 33 GPM	15-33 GPM
Mounting Plate	Universal	Universal	Universal
Weight	1,100 lb.	1,200 lb.	1,300 lb.

Options

Hydraulic Power Angling

Wing Kit

Pistol Grip Control Harness*

Loader Specific Wire Harness*

Factory Installed Couplers

800.437.6912

ERSKINE[®]
ATTACHMENTS LLC

ERSKINE[®]
ATTACHMENTS LLC

www.erskineattachments.com
800.437.6912

UTILITY SOIL CONDITIONER

SKID STEER ATTACHMENT



Optional:
Pistol Grip Control Har-
ness is required if skid
steer is NOT equipped
with attachment control
system. (Only needed
when ordering hydraulic
angling model).

Optional:
Wire Harness for hy-
draulic models with
attachment
controls. Fits Cat/
ASV (8-pin) and John
Deere/New Holland/
CASE/Bobcat (14-pin).

Large solid rubber tires
allow easier maneu-
verability over rough
terrain

Direct-Drive motor
gives higher production
with lower maintenance

Large 10" rotor



800.437.6912

ERSKINE[®]
ATTACHMENTS LLC